

Binge Drinking (School-Age)

Binge Drinking (School-Age)

- Most recent data (2012): 14% of King County youth attending public schools in the 8th, 10th and 12th grades.
- Trend over time: 2004-12: falling
- Description: Had 5 or more alcoholic drinks in a row in past 14 days

Binge drinking (school-age), King County, 2010 and 2012

	Percent	Lower CI	Upper CI
King County (school-age youth in 8th, 10th and 12th grades)	14	13	15
GRADE			
Grade 8	6	5	6
Grade 10	13	13	14
Grade 12	23	22	25
GENDER			
Male	16	14	17
Female	13	12	14
RACE/ETHNICITY			
AIAN	20	17	24
Asian	8	7	9
Black	15	14	17
Hispanic	18	17	19
Multiple	15	14	16
NHPI	18	16	20
White	15	14	17
Other	12	11	14
REGION			
East	15	13	17
North	13	11	16
Seattle	15	13	17
South	14	13	15

Comparisons:

- Higher than King County rate (yellow)
- Lower than King County rate (green)

Notes:

Source: Healthy Youth Survey.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Data by income or poverty level not available.

Binge drinking (school-age) King County, 2010 and 2012



Source: Healthy Youth Survey.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.

[-----] Confidence interval shows range that includes true value 95% of the time.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Data by income or poverty level not available.

Binge drinking (school-age) by comparison areas

The Healthy People 2020 Objective for binge drinking (school-age) is 23%.

	Latest Available Year	Percent	Lower CI	Upper CI
United States	2011	22	21	23
WA State	2012	13	12	15
King County	2012	14	13	15


Notes:

Source: Healthy Youth Survey.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.

CI is 95% Confidence Interval.

Binge drinking (school-age) by comparison areas




Source: Healthy Youth Survey.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.


|-----| Confidence interval shows range that includes true value 95% of the time.

**Binge drinking (school-age) by regions
King County, 2010 and 2012**



Source: Healthy Youth Survey.
Prepared by Public Health - Seattle & King County, APDE, 12/2014.
N/A: Not available.

Binge drinking (school-age) King County, 2004-2012



Source: Healthy Youth Survey.
Prepared by Public Health - Seattle & King County, APDE, 12/2014.

Produced by the
Assessment, Policy Development & Evaluation Unit
Public Health - Seattle & King County
12/14

King County
Hospitals
for a Healthier
Community